

Draft Terms of Reference for 2015 Bluefish Benchmark Stock Assessment

Washington, D.C.

August 12, 2014



 These TORs were developed by the ASMFC Bluefish Technical Committee



1. Estimate catch from all sources including landings and discards. Evaluate and if necessary update the discard mortality estimate. Describe the spatial and temporal distribution of landings, discards, and fishing effort. Characterize the uncertainty in these sources of data.

2. Present and evaluate data on life history information including, age, growth, natural mortality, and maturity.



3. Present the survey data available for use in the assessment (e.g., indices of relative or absolute abundance, recruitment, state surveys, age-length data, etc.), and explore standardization of fishery independent indices.

Investigate the utility of commercial or recreational LPUE as a measure of relative abundance. Characterize the uncertainty and any bias in these sources of data. Describe the spatial distribution of the stock over time.



4. Estimate relative fishing mortality, annual fishing mortality, recruitment, total abundance, and stock biomass (both total and spawning stock)for the time series, and estimate their uncertainty.

Explore inclusion of multiple fleets in the model. Include both internal and historical retrospective analyses to allow a comparison with previous assessment results and previous projections. Explore alternative modeling approaches if feasible.



5. State the existing stock status definitions for "overfished" and "overfishing". Then update or redefine biological reference points (BRPs; point estimates or proxies for B $_{MSY}$, B $_{THRESHOLD}$, F $_{MSY}$ and MSY) and provide estimates of their uncertainty.

If analytic model-based estimates are unavailable, consider recommending alternative measurable proxies for BRPs. Comment on the scientific adequacy of existing BRPs and the "new" (i.e. updated, redefined, or alternative) BRPs.



6. Evaluate stock status with respect to the existing model (from previous peer reviewed accepted assessment) and with respect to a new model developed for this peer review.

When working with the existing model, update it with new data and evaluate stock status (overfished and overfishing) with respect to the existing BRP estimates. Then use the newly proposed model and evaluate stock status with respect to "new" BRPs and their estimates (from TOR-5).



- Develop approaches and apply them to conduct stock projections and to compute the statistical distribution (e.g., probability density function) of the OFL (overfishing level) and candidate ABCs (Acceptable Biological Catch; see Appendix to the SAW TORs).
 - a. Provide annual projections (3 years). For given catches, each projection should estimate and report annual probabilities of exceeding threshold BRPs for F, and probabilities of falling below threshold BRPs for biomass. Use a sensitivity analysis approach in which a range of assumptions about the most important uncertainties in the



- 7. Cont'd
 - b. Comment on which projections seem most realistic. Consider the major uncertainties in the assessment as well as sensitivity of the projections to various assumptions.
 - c. Describe this stock's vulnerability (see "Appendix to the SAW TORs") to becoming overfished, and how this could affect the choice of ABC.
 - Review, evaluate and report on the status of the SARC and Working Group research recommendations listed in most recent SARC reviewed assessment and review panel reports, as well as MAFMC SSC model recommendations from 2005. Identify new research recommendations.

Dates

October

January/

February

April 2015

June 2015

2014

2015

Time

TBA

TBA

TBA



Meeting

Location

NEFSC, Woods

NEFSC, Woods

Hole, MA

Hole, MA

Virtual

TBA

Tenta	ative Sci	reaule
Meeting Description	Mooting	Mooting

Tenta	Tentative Sch		
Meeting Description	Meeting	Meeting	

Pre-Assessment

Assessment Technical

Models/BRP Meeting

SAW/SARC Review

Committee Meeting

Bluefish Data &

Webinar

Bluefish Pre-

Tentative	Schedule



Questions?



Motions